

INHALTSVERZEICHNIS

AKTUELLE RÄDER

ANTARES	3 – 6
CROSSLIGHT	7 – 8
CUP	9 – 10
EMOTION	11 – 12
EVOLUTION	13 – 16
GTR	17 – 18
MIZAR	19 – 22
PERFEKTION	23 – 26
RACELIGHT	27 – 30
RADIAL	31 – 34
SPRINTLIGHT	35 – 37
STREETRALLYE	38 – 41
SUPERLIGHT	42 – 45
TEMPERAMENT	46 – 48
TWISTER	49 – 51

VORHERIGE RÄDER

PRÄZISION	53 – 55
RADIAL+	56 – 57
STREETTRACE	58 – 59
TWINLIGHT	60 – 62



AKTUELLE RÄDER

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
ANTARES	AT656	33, 41, 46, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AT605	38, 43, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AT756	37, 45	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AT706	35, 39, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AT707	40, 43, 49, 54	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AT757	37, 38, 45	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AT808	31, 39, 40, 47	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			%k.A.	20°	starr 20°	20°	variabel %k.A.	variabel %k.A.	variabel %k.A.	%k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
ANTARES	AT656	33, 41, 46, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	AT605	38, 43, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	AT756	37, 45	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	AT706	35, 39, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	AT707	40, 43, 49, 54	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	AT757	37, 38, 45	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	AT808	31, 39, 40, 47	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
ANTARES	AT656	33, 41, 46, 50	6,5	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	AT605	38, 43, 47	6	15	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	AT756	37, 45	7,5	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	AT706	35, 39, 48	7	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	AT707	40, 43, 49, 54	7	17	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	AT757	37, 38, 45	7,5	17	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	AT808	31, 39, 40, 47	8	18	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-25410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
ANTARES	AT656	33, 41, 46, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AT605	38, 43, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AT756	37, 45	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AT706	35, 39, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AT707	40, 43, 49, 54	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AT757	37, 38, 45	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AT808	31, 39, 40, 47	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
CROSSLIGHT	CL1009	25, 30, 40, 50	10	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	CL1159	45, 60	11,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			%k.A.	20°	starr 20°	20°	variabel %k.A.	variabel %k.A.	variabel %k.A.	%k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
CROSSLIGHT	CL1009	25, 30, 40, 50	10	19	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	CL1159	45, 60	11,5	19	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN													
					113	114	115	116	117	118	119	120	121	122	123	124	125	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J							Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW	
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall	
CROSSLIGHT	CL1009	25, 30, 40, 50	10	19	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	CL1159	45, 60	11,5	19	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	

					OE-SENSOREN											
					126	127	128	129	130	131	132	133	134	135	136	137
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
CROSSLIGHT	CL1009	25, 30, 40, 50	10	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	CL1159	45, 60	11,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M				4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault				216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
CUP	CUP808	41, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstell-bar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
CUP	CUP808	41, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125	
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J							Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW	
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall	
CUP	CUP808	41, 48	8	18	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
CUP	CUP808	41, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
EMOTION	EM706	38, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	✓
	EM757	35, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	✓
	EM808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstell-bar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
EMOTION	EM706	38, 48	7	16	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	—	✓	✓	
	EM757	35, 47	7,5	17	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	—	✓	✓	
	EM808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125	
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J							Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW	
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall	
EMOTION	EM706	38, 48	7	16	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓	
	EM757	35, 47	7,5	17	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓	
	EM808	35, 45	8	18	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓	

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
EMOTION	EM706	38, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	EM757	35, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	EM808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
EVOLUTION	EVO807	30, 43	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	✓
	EVO757	27, 32, 37, 43, 52, 54	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	✓
	EVO706	31, 40, 52	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	✓
	EVO808	30, 34, 43, 57	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	EVO909	18, 37, 48	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
EVOLUTION	EVO807	30, 43	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	
	EVO757	27, 32, 37, 43, 52, 54	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	
	EVO706	31, 40, 52	7	16	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	—	✓	✓	
	EVO808	30, 34, 43, 57	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	EVO909	18, 37, 48	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilab- dichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungs- system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
EVOLUTION	EVO807	30, 43	8	17	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	EVO757	27, 32, 37, 43, 52, 54	7,5	17	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	EVO706	31, 40, 52	7	16	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	EVO808	30, 34, 43, 57	8	18	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	EVO909	18, 37, 48	9	19	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs- system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
EVOLUTION	EVO807	30, 43	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	EVO757	27, 32, 37, 43, 52, 54	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	EVO706	31, 40, 52	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	EVO808	30, 34, 43, 57	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	EVO909	18, 37, 48	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
GTR	GTR909	alle	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	✓
	GTR1109	alle	11	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	GTR1209	alle	12	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstell-bar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
GTR	GTR909	alle	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	GTR1109	alle	11	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	GTR1209	alle	12	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN													
					113	114	115	116	117	118	119	120	121	122	123	124	125	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J							Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW	
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall	
GTR	GTR909	alle	9	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓	
	GTR1109	alle	11	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓	
	GTR1209	alle	12	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓	

					OE-SENSOREN											
					126	127	128	129	130	131	132	133	134	135	136	137
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
GTR	GTR909	alle	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	GTR1109	alle	11	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	GTR1209	alle	12	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
MIZAR	MZ656	38, 49	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	✓
	MZ756	45,5	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	✓
	MZ707	47, 48, 5, 52, 5	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ757	47, 52, 5	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ807	48	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ858	34, 5, 48	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ809	38, 43, 48, 52	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ859	34, 5, 62	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	✓
	MZ8520	29, 40, 53, 62	8,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	✓
	MZ9021	37, 53	9	21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ10021	30, 55	10	21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
MIZAR	MZ656	38, 49	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	
	MZ756	45,5	7,5	16	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MZ707	47, 48, 5, 52, 5	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MZ757	47, 52, 5	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MZ807	48	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MZ858	34, 5, 48	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MZ809	38, 43, 48, 52	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MZ859	34, 5, 62	8,5	19	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	—	✓	✓	
	MZ8520	29, 40, 53, 62	8,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MZ9021	37, 53	9	21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MZ10021	30, 55	10	21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
MIZAR	MZ656	38, 49	6,5	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	MZ756	45,5	7,5	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	MZ707	47, 48, 5, 52, 5	7	17	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	MZ757	47, 52, 5	7,5	17	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	MZ807	48	8	17	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	MZ858	34, 5, 48	8,5	18	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	MZ809	38, 43, 48, 52	8	19	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	MZ859	34, 5, 62	8,5	19	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	MZ8520	29, 40, 53, 62	8,5	20	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	MZ9021	37, 53	9	21	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	MZ10021	30, 55	10	21	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-25410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs- system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
MIZAR	MZ656	38, 49	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ756	45,5	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ707	47, 48, 5, 52, 5	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ757	47, 52, 5	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ807	48	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ858	34, 5, 48	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ809	38, 43, 48, 52	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ859	34, 5, 62	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ8520	29, 40, 53, 62	8,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ9021	37, 53	9	21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MZ10021	30, 55	10	21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN														
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor
		Generation			Generation 2	Generation 3													
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020		
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall
PERFEKTION	PK807	35, 40, 45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PK808	32, 42	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PK809	21, 35	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PK859	35, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PK909	21, 32, 42	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PK959	35, 40	9,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PK9020	30, 4	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
PERFEKTION	PK807	35, 40, 45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	PK808	32, 42	8	18	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	✓	—	✓	
	PK809	21, 35	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	PK859	35, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	PK909	21, 32, 42	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	PK959	35, 40	9,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	PK9020	30, 4	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
PERFEKTION	PK807	35, 40, 45	8	17	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	PK808	32, 42	8	18	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	PK809	21, 35	8	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	PK859	35, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	PK909	21, 32, 42	9	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	PK959	35, 40	9,5	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	PK9020	30, 4	9	20	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-25410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
PERFEKTION	PK807	35, 40, 45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PK808	32, 42	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PK809	21, 35	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PK859	35, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PK909	21, 32, 42	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PK959	35, 40	9,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PK9020	30, 4	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
RACELIGHT	RL858	30, 38	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL859	30, 34, 38, 45, 49, 53	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL958	35	9,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL1009	30, 40, 52	10	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL1109	30, 50	11	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL8520	15, 30, 35, 40, 55	8,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL10020	20, 30, 35, 40, 45	10	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL11020	30, 50, 58	11	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
RACELIGHT	RL858	30, 38	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	RL859	30, 34, 38, 45, 49, 53	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	RL958	35	9,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	RL1009	30, 40, 52	10	19	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	RL1109	30, 50	11	19	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	RL8520	15, 30, 35, 40, 55	8,5	20	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	RL10020	20, 30, 35, 40, 45	10	20	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	RL11020	30, 50, 58	11	20	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
RACELIGHT	RL858	30, 38	8,5	18	✓	✓	–	✓	✓	✓	–	✓	✓	✓	✓	–	✓
	RL859	30, 34, 38, 45, 49, 53	8,5	19	✓	✓	–	✓	✓	✓	–	✓	✓	✓	✓	–	✓
	RL958	35	9,5	18	✓	✓	–	✓	✓	✓	–	✓	✓	✓	✓	–	✓
	RL1009	30, 40, 52	10	19	✓	✓	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓
	RL1109	30, 50	11	19	✓	✓	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓
	RL8520	15, 30, 35, 40, 55	8,5	20	✓	✓	–	✓	✓	✓	–	✓	✓	✓	✓	–	✓
	RL10020	20, 30, 35, 40, 45	10	20	✓	✓	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓
	RL11020	30, 50, 58	11	20	✓	✓	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓

Stand Februar 2018

					OE-SENSOREN											
Design	Gepüfzte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-25410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
RACELIGHT	RL858	30, 38	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL859	30, 34, 38, 45, 49, 53	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL958	35	9,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL1009	30, 40, 52	10	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL1109	30, 50	11	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL8520	15, 30, 35, 40, 55	8,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL10020	20, 30, 35, 40, 45	10	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RL11020	30, 50, 58	11	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
RADIAL	RD706	38, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	RD757	35, 40, 45, 50	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	RD808	30, 35, 45, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	RD858	35, 40, 45, 48, 50, 51, 55	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	RD1008	40, 55	10	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	RD859	20, 30, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	RD9020	17, 25, 45, 59, 60	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	✓

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
RADIAL	RD706	38, 48	7	16	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	—	✓	—	
	RD757	35, 40, 45, 50	7,5	17	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	—	✓	—	
	RD808	30, 35, 45, 50	8	18	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	—	✓	—	
	RD858	35, 40, 45, 48, 50, 51, 55	8,5	18	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	—	✓	—	
	RD1008	40, 55	10	18	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	—	✓	—	
	RD859	20, 30, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	
	RD9020	17, 25, 45, 59, 60	9	20	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	—	✓	—	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125	
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J							Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020		3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall	
RADIAL	RD706	38, 48	7	16	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	RD757	35, 40, 45, 50	7,5	17	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	RD808	30, 35, 45, 50	8	18	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	RD858	35, 40, 45, 48, 50, 51, 55	8,5	18	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	RD1008	40, 55	10	18	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	RD859	20, 30, 45	8,5	19	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	RD9020	17, 25, 45, 59, 60	9	20	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓	

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-25410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs- system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
RADIAL	RD706	38, 48	7	16	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RD757	35, 40, 45, 50	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RD808	30, 35, 45, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RD858	35, 40, 45, 48, 50, 51, 55	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RD1008	40, 55	10	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RD859	20, 30, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RD9020	17, 25, 45, 59, 60	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
SPRINTLIGHT	SN909	48	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SN1209	48	12	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SN9020	51, 65	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SN10020	30, 32	10	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SN11020	15, 58	11	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					OE-SENSOREN													
Design	Gepüfzte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			%k.A.	20°	starr 20°	20°	variabel %k.A.	variabel %k.A.	variabel %k.A.	%k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
SPRINTLIGHT	SN909	48	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SN1209	48	12	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SN9020	51, 65	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SN10020	30, 32	10	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SN11020	15, 58	11	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125	
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J							Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW	
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall	
SPRINTLIGHT	SN909	48	9	19	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	SN1209	48	12	19	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	SN9020	51, 65	9	20	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	SN10020	30, 32	10	20	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	SN11020	15, 58	11	20	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
SPRINTLIGHT	SN909	48	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SN1209	48	12	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SN9020	51, 65	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SN10020	30, 32	10	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SN11020	15, 58	11	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
STREET-RALLYE	SY605	23, 35, 38, 43, 45, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SY606	23, 35, 45	6	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	SY656	20, 35, 38, 40, 48	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	SY707	25, 38, 45, 54	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	-	✓
	SY758	22, 35, 38, 48	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	-	✓

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
STREET-RALLYE	SY605	23, 35, 38, 43, 45, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SY606	23, 35, 45	6	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	-	✓	
	SY656	20, 35, 38, 40, 48	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	-	✓	
	SY707	25, 38, 45, 54	7	17	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	SY758	22, 35, 38, 48	7,5	18	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilab- dichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungs- system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
STREET- RALLYE	SY605	23, 35, 38, 43, 45, 47	6	15	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SY606	23, 35, 45	6	16	✓	-	-	✓	✓	-	-	✓	✓	✓	✓	-	✓
	SY656	20, 35, 38, 40, 48	6,5	16	✓	-	-	✓	✓	-	-	✓	✓	✓	✓	-	✓
	SY707	25, 38, 45, 54	7	17	✓	-	-	✓	✓	-	-	-	✓	-	-	-	✓
	SY758	22, 35, 38, 48	7,5	18	✓	-	-	✓	✓	✓	-	-	✓	-	-	-	✓

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs- system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
STREET- RALLYE	SY605	23, 35, 38, 43, 45, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SY606	23, 35, 45	6	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SY656	20, 35, 38, 40, 48	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SY707	25, 38, 45, 54	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SY758	22, 35, 38, 48	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
SUPERLIGHT	SU859	30	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU909	48	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU959	35, 45	9,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU1009	20	10	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU1109		11	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU1209	46, 58, 63	12	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU8520		8,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU9020	30	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU10020		10	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU11020		11	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
SUPERLIGHT	SU859	30	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SU909	48	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SU959	35, 45	9,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SU1009	20	10	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SU1109		11	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SU1209	46, 58, 63	12	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SU8520		8,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SU9020	30	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SU10020		10	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SU11020		11	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilab- dichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungs- system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
SUPERLIGHT	SU859	30	8,5	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	SU909	48	9	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	SU959	35, 45	9,5	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	SU1009	20	10	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	SU1109		11	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	SU1209	46, 58, 63	12	19	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	SU8520		8,5	20	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	SU9020	30	9	20	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	SU10020		10	20	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	SU11020		11	20	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-25410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs- system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
SUPERLIGHT	SU859	30	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU909	48	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU959	35, 45	9,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU1009	20	10	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU1109		11	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU1209	46, 58, 63	12	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU8520		8,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU9020	30	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU10020		10	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SU11020		11	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
TEMPERAMENT	TE858-5L	35, 40, 45, 48, 50, 51, 55	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	TE858-6L	20, 40	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	TE909	17, 45, 48, 58, 60	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	✓
	TE9520	17, 30, 35, 42, 52, 55, 60	9,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
TEMPERAMENT	TE858-5L	35, 40, 45, 48, 50, 51, 55	8,5	18	✓	✓	✓	—	✓	✓	✓	✓	—	✓	—	✓	—	
	TE858-6L	20, 40	8,5	18	✓	✓	✓	—	✓	✓	✓	✓	—	✓	—	✓	✓	
	TE909	17, 45, 48, 58, 60	9	19	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	—	✓	✓	
	TE9520	17, 30, 35, 42, 52, 55, 60	9,5	20	✓	✓	✓	—	✓	✓	✓	✓	—	✓	—	✓	—	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
TEMPERAMENT	TE858-5L	35, 40, 45, 48, 50, 51, 55	8,5	18	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	TE858-6L	20, 40	8,5	18	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	TE909	17, 45, 48, 58, 60	9	19	✓	✓	✓	✓	✓	—	—	✓	✓	✓	✓	—	✓
	TE9520	17, 30, 35, 42, 52, 55, 60	9,5	20	✓	—	—	✓	✓	—	—	✓	✓	✓	✓	—	✓

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°	20°	10°	10°	10°	10°	0°-40°	20°	20°	20°	20°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
TEMPERAMENT	TE858-5L	35, 40, 45, 48, 50, 51, 55	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TE858-6L	20, 40	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TE909	17, 45, 48, 58, 60	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TE9520	17, 30, 35, 42, 52, 55, 60	9,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	AFTERMARKET-SENSOREN															
					1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
TWISTER	TS605	25, 38, 45	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	TS655	38, 45	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	TS656	25, 38, 42, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	TS756	37, 46	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	TS757	37, 45, 50	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	TS808	35, 40, 45, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
TWISTER	TS605	25, 38, 45	6	15	✓	✓	✓	–	✓	✓	✓	✓	✓	✓	–	✓	✓	
	TS655	38, 45	6,5	15	✓	✓	✓	–	✓	✓	✓	✓	✓	✓	–	✓	✓	
	TS656	25, 38, 42, 50	6,5	16	✓	✓	✓	–	✓	✓	✓	✓	✓	✓	–	✓	✓	
	TS756	37, 46	7,5	16	✓	✓	–	–	✓	✓	✓	✓	✓	✓	–	✓	✓	
	TS757	37, 45, 50	7,5	17	✓	✓	✓	–	✓	✓	✓	✓	✓	✓	–	✓	✓	
	TS808	35, 40, 45, 50	8	18	✓	✓	✓	–	✓	✓	✓	✓	✓	✓	–	✓	✓	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
TWISTER	TS605	25, 38, 45	6	15	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	TS655	38, 45	6,5	15	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	TS656	25, 38, 42, 50	6,5	16	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	TS756	37, 46	7,5	16	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	TS757	37, 45, 50	7,5	17	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓
	TS808	35, 40, 45, 50	8	18	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°	20°	10°	10°	10°	10°	0°-40°	20°	20°	20°	20°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
TWISTER	TS605	25, 38, 45	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TS655	38, 45	6,5	15	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TS656	25, 38, 42, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TS756	37, 46	7,5	16	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TS757	37, 45, 50	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TS808	35, 40, 45, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

VORHERIGE RÄDER

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
PRÄZISION	PR757	35, 40, 45, 50	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	PR858	30, 35, 40, 45	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	PR859	20, 30, 40, 45, 53	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	PR1009	30, 40, 42, 65	10	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	PR9020	30, 40	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
PRÄZISION	PR757	35, 40, 45, 50	7,5	17	✓	–	✓	–	✓	✓	✓	✓	–	✓	–	–	–	
	PR858	30, 35, 40, 45	8,5	18	✓	✓	–	–	✓	✓	✓	✓	✓	✓	–	✓	–	
	PR859	20, 30, 40, 45, 53	8,5	19	✓	✓	–	–	✓	✓	✓	✓	✓	✓	–	✓	–	
	PR1009	30, 40, 42, 65	10	19	✓	✓	–	–	✓	✓	✓	✓	✓	✓	–	–	–	
	PR9020	30, 40	9	20	✓	✓	–	–	✓	✓	✓	✓	✓	✓	✓	✓	–	

Stand Februar 2018

					OE-SENSOREN													
					113	114	115	116	117	118	119	120	121	122	123	124	125	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J							Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW	
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall	
PRÄZISION	PR757	35, 40, 45, 50	7,5	17	—	—	—	—	✓	—	—	—	—	—	—	—	—	
	PR858	30, 35, 40, 45	8,5	18	—	—	—	—	✓	✓	—	—	—	—	—	—	—	
	PR859	20, 30, 40, 45, 53	8,5	19	✓	—	—	✓	✓	✓	—	—	—	—	—	—	✓	
	PR1009	30, 40, 42, 65	10	19	✓	—	—	✓	✓	✓	—	—	—	—	—	—	✓	
	PR9020	30, 40	9	20	✓	—	—	✓	✓	✓	—	—	—	—	—	—	✓	

					OE-SENSOREN											
					126	127	128	129	130	131	132	133	134	135	136	137
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
PRÄZISION	PR757	35, 40, 45, 50	7,5	17	—	—	✓	✓	✓	✓	✓	—	✓	✓	✓	✓
	PR858	30, 35, 40, 45	8,5	18	—	—	✓	✓	✓	✓	✓	—	✓	✓	✓	✓
	PR859	20, 30, 40, 45, 53	8,5	19	—	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PR1009	30, 40, 42, 65	10	19	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PR9020	30, 40	9	20	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
					1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M				4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault				216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
RADIAL+	RD+807	30, 34	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	RD+808	20, 30, 34	8	18	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	RD+909	18, 30, 37	9	19	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	

					OE-SENSOREN												
					100	101	102	103	104	105	106	107	108	109	110	111	112
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW							4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall
RADIAL+	RD+807	30, 34	8	17	✓	✓	-	-	✓	-	✓	✓	-	✓	-	✓	-
	RD+808	20, 30, 34	8	18	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-
	RD+909	18, 30, 37	9	19	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-

Stand Februar 2018

					OE-SENSOREN													
					113	114	115	116	117	118	119	120	121	122	123	124	125	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J							Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW	
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall	
RADIAL+	RD+807	30, 34	8	17	✓	-	-	-	✓	-	-	-	✓	-	-	-	-	
	RD+808	20, 30, 34	8	18	✓	-	-	-	✓	-	-	-	✓	-	-	-	-	
	RD+909	18, 30, 37	9	19	✓	-	-	-	✓	-	-	-	✓	-	-	-	-	

					OE-SENSOREN											
					126	127	128	129	130	131	132	133	134	135	136	137
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
RADIAL+	RD+807	30, 34	8	17	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RD+808	20, 30, 34	8	18	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RD+909	18, 30, 37	9	19	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M				4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault				216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
STREETTRACE	SR707	45, 46, 54	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	
	SR758	40, 43, 48, 51	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstell-bar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
STREETTRACE	SR707	45, 46, 54	7	17	✓	✓	✓	—	✓	✓	✓	✓	—	✓	—	✓	—	
	SR758	40, 43, 48, 51	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125	
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J							Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW	
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall	
STREETTRACE	SR707	45, 46, 54	7	17	✓	—	—	✓	✓	✓	—	✓	✓	✓	✓	—	✓	
	SR758	40, 43, 48, 51	7,5	18	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	✓	—	✓	

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
STREETTRACE	SR707	45, 46, 54	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SR758	40, 43, 48, 51	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
TWINLIGHT	TL9020	30, 32, 37, 38, 40, 42, 43, 45, 51, 52, 65	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	TL10020	25, 30, 32, 40, 42, 55	10	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	TL11020	45, 50, 58, 65	11	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
TWINLIGHT	TL9020	30, 32, 37, 38, 40, 42, 43, 45, 51, 52, 65	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	TL10020	25, 30, 32, 40, 42, 55	10	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	TL11020	45, 50, 58, 65	11	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN													
					113	114	115	116	117	118	119	120	121	122	123	124	125	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS Faraday	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J							Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW	
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall	
TWINLIGHT	TL9020	30, 32, 37, 38, 40, 42, 43, 45, 51, 52, 65	9	20	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	TL10020	25, 30, 32, 40, 42, 55	10	20	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	TL11020	45, 50, 58, 65	11	20	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	

					OE-SENSOREN											
					126	127	128	129	130	131	132	133	134	135	136	137
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°	20°	10°	10°	10°	10°	0°-40°	20°	20°	20°	20°	
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
TWINLIGHT	TL9020	30, 32, 37, 38, 40, 42, 43, 45, 51, 52, 65	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TL10020	25, 30, 32, 40, 42, 55	10	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TL11020	45, 50, 58, 65	11	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓